

PLASTIC **SPRINKLER**

Flow rate is about 300-900 liters of water per hour depending on the sprinkler of Flow each types. It covers 3-5 meters distance with a water pressure resistance of 1-3 bars. The sprinkler can turn around and make plants get water thoroughly.

Sprinkler Rainy



Suitable for watering plants that need to control the amount of water in kind of horticultures, vegetables and seedlings.



- Made from high quality of plastic.
- Various ranges of water spread rate to suit with each kind of plants.
- Water spread out as fuzz like a raindrops.
- Some models can change to the Impact Head.











Code Number	Description	Flow Rate	Radius	Pressure	Pack Size	
		(liter : hour)	(meters)	(bar)	(bag)	(box)
318	Sprinkler Female Thread	300-600			100	1,500
318-D	Sprinkler(3in1) Female Thread		2.5		100	1,500
318-T	Sprinkler 2in1 Female Thread	Depends on	3-5 Meters	1-3 Bars	100	1,500
319-C	Sprinkler 3in1 with Pvc Socket	the Pressure			100	1,000
318-11	Sprinkler 2in1 + Spike				1	120

Sprinkler 2 Layers



Suitable for watering plants that need to control the amount of water in kind of horticultures, vegetables and seedlings.



- Made from high quality of plastic.
- Various ranges of water spread rate to suit with each kind of plants.
- The water will come out as whirlpool overlap 2 layers.
- Can open close or adjust the volume of water as needed.
 (Mini Valve Type only)









300-V

Code Number Description		Flow Rate	Radius	Pressure	Pack Size	
Code Number	Description	(liter : hour)	(meter)	(bar)	(bag)	(box)
300	Sprinkler 2 Layer Female Thread	500-900 Depends on the Pressure	4-6 Meters		100	500
300R	Sprinkler 2 Layer spin Female Thread				100	500
300-C1	Sprinkler 2 Layer Socket PVC 1/2"			1-3 Bars	100	500
300-C2	Sprinkler 2 Layer Socket PVC 3/4"				100	500
300-V1	Sprinkler 2 Laver + Valve PVC 1/2"				50	250

Sprinkler 2 Layers (NUNI)



300-L



300RL

Kanok Product Channel



300RLC

Code Numb	per Description	Flow Rate	Radius	Pressure	Pack Size	
	Description	(liter : hour)	(meter)	(bar)	(bag)	(box)
300-L	Sprinkler 2 Layer NUNI Female Thread	500-900	4-6 Meters		100	500
300RL	Sprinkler 2 Layer NUNI Spin Female Thread	Depends on		1-3 Bars	100	500
300RLC	Sprinkler 2 Layer NUNI Socket PVC 1/2"	the Pressure			100	500







Sprinkler Horse



Suitable for watering plants that need to control the amount of water in kind of horticultures, vegetables and seedlings.



- Made from high quality of plastic.
- Various ranges of water spread rate to suit with each kind of plants.
- The water will come out as whirlpool and the water is hurtle in higher level.
- Can open close or adjust the volume of water as needed.
 (Mini Valve Type only)







301A-C1 301A-C2







301A-1

Code Number	Description	Flow Rate (liter : hour)	Radius (meter)	Pressure (bar)	Pack (bag)	Size (box)
301A	Sprinkler Horse Female Thread	500-900			100	500
301A-R	Sprinkler Horse Spin Female Thread				100	500
301A-C1	Sprinkler Horse + Socket PVC 1				100	500
301A-C2	Sprinkler Horse + Socket PVC 3/4"		4.7		100	500
301A-V1	Sprinkler Horse + Valve PVC 1/2"	Depends on	4-6	1-3 Bars	50	250
301A-V2	Sprinkler Horse + Valve PVC 3/4"	the Pressure	Meters		50	250
301A-V3	Sprinkler Horse + Valve PVC PE 16-20 mm.				50	250
301A-V4	Sprinkler Horse + Valve PVC PE 25 mm.				50	250
301A-1	Sprinkler Horse + Spike1/2"x5/8"x3/4"				1	120

Sprinkler Horse (NUNI)





Code Number	Description	Flow Rate (liter : hour)	Radius (meter)	Pressure (bar)	Pack (bag)	Size (box)
301A-L	Sprinkler Horse Female Thread NUNI	500-900	4-6		100	500
301A-RL	Sprinkler Horse Spin Female Thread NUNI	Depends on the Pressure	Meters	1-3 Bars	100	500



Sprinkler Elephant



Suitable for watering plants that need to control the amount of water in kind of horticultures, vegetables and seedlings.



- Made from high quality of plastic.
- Various ranges of water spread rate to suit with each kind of plants.
- Sprinkler Elephant make hurtle water around the direction.
- Can open close or adjust the volume of water as needed.
 (Mini Valve Type only)













301B-1

Code Numbe	r Description	Flow Rate (liter : hour)	Radius (meter)	Pressure (bar)	Pack (bag)	Size (box)
301B	Sprinkler Elephant Female Thread	. 500-900			100	500
301B-R	Sprinkler Elephant Spin Female Thread			100	500	
301B-C1	Sprinkler Elephant + Socket PVC 1/2"				100	500
301B-C2	Sprinkler Elephant + Socket PVC 3/4"				100	500
301B-V1	Sprinkler Elephant + Valve PVC 1/2"	Depends on	4-6	1-3 Bars	100	250
301B-V2	Sprinkler Elephant + Valve PVC 3/4"	the Pressure	Meters		100	250
301B-V3	Sprinkler Elephant + Valve PE 16-20 mm.	ine rressore			50	250
301B-V4	Sprinkler Elephant + Valve PE 25 mm.				100	250
301B-1	Sprinkler Elephant + Spike 1/2"x5/8"x3/4"				1	120

Sprinkler Elephant (NUNI)



301B-I



Code Numb	per Description	Flow Rate (liter : hour)	Radius (meter)	Pressure (bar)	Pack (bag)	Size (box)
301B-L	Sprinkler Elephant Female Thread (NUNI)	500-900	3-5		100	500
301B-RL	Sprinkler Elephant Spin Female Thread (NUNI)	Depends on the Pressure	Meters	1-3 Bars	100	500







Sprinkler 2 Ways



Suitable for watering plants that need to control the amount of water in kind of horticultures, vegetables and seedlings.



- Made from high quality of plastic.
- Various ranges of water spread rate to suit with each kind of plants.
- The water will go out 2 way and twist with alternately beautiful.
- Can open close or adjust the volume of water as needed.
 (Mini Valve Type only)





Sprinkler 2 Ways + Valve PE 16-20 mm.

Sprinkler 2 Ways + Spike 1/2"x5/8"x3/4"

Sprinkler 2 Ways + Valve PE 25 mm.









Code Numb	er Description	Flow Rate (liter : hour)	Radius (meters)	Pressure (bar)	Pack (bag)	Size (box)
302	Sprinkler 2 Ways Female Thread	(1101 : 11001)	(1101010)	(501)	100	500
302-R	Sprinkler 2 Ways Spin Female Thread				100	500
302-C1	Sprinkler 2 Ways + Socket PVC 1/2"				100	500
302-C2	Sprinkler 2 Ways + Socket PVC 3/4"	500-900	4.5		100	250
302-V1	Sprinkler 2 Ways + Valve PVC 1/2"	Depends on	4-5	1-3 Bars	50	250
302-V2	Sprinkler 2 Ways + Valve PVC 3/4"	the Pressure	Meters		50	250

Sprinkler 2 Ways (NUNI)



302-V3

302-V4

302-1





50

50

250

250

120

Code Numb	er Description	Flow Rate	Radius	Pressure	Pack	Size
Codo i torrio	o. Beschphon	(liter : hour)	(meters)	(bar)	(bag)	(box)
302-RL	Sprinkler 2 Ways Spin NUNI Female Thread	500-900			100	500
320-B	Sprinkler CHAIYO Blue Female Thread	Depends on	4-5	1-3 Bars	100	500
320-BB	Sprinkler CHAIYO Black Female Thread	the Pressure	Meters		100	500



Sprinkler Big C



Suitable for watering plants that need to control the amount of water in kind of horticultures, vegetables and seedlings.



- Made from high quality of plastic.
- Various ranges of water spread rate to suit with each kind of plants.
- Sprinkler Big C spread fuzz water around the direction.
- Can open close or adjust the volume of water as needed. (Mini Valve Type only)













304-1

Code Numb	er Description	Flow Rate (liter : hour)	Radius (meter)	Pressure (bar)	Pack (bag)	Size (box)
305	Sprinkler Big C Spin Female Thread			1-3 Bars	100	500
304-C	Sprinkler Big C Short Female Thread	500-900			100	500
304-R	Sprinkler Big C Long Spin Female Thread		4-5		100	500
304-C1	Sprinkler Big C Long Spin Socket PVC 1/2"	Depends on	Meters		100	500
304-C2	Sprinkler Big C Long Spin Socket PVC 3/4"	the Pressure			100	500
304-1	Sprinkler Big C Long Spin + Spike 1/2"x5/8"x3/4"				1	120

Sprinkler Big C (NUNI)



3	n.	4.	-R

Code Number	Description	Flow Rate (liter : hour)	Radius (meter)	Pressure (bar)	Pack Siz (bag)	ze (box)
		500-900	4-5			
304-RL	Sprinkler Big C Long Spin Female Thread	Depends on the Pressure	Meters	1-3 Bars	100	500





Sprinkler NIKKO



Suitable for watering plants that need to control the amount of water in kind of horticultures, vegetables and seedlings.



- Made from high quality of plastic.
- Various ranges of water spread rate to suit with each kind of plants.
- The water will go out 2 ways with make water out to high and alternately beautiful.
- Model 324-1 can change pattern of water.
- Can open close or adjust the volume of water as needed.
 (Mini Valve Type only)











Code Numb	er Description	Flow Rate (liter : hour)	Radius (meter)	Pressure (bar)	Pack (baa)	Size (box)
320-1	Sprinkler NIKKO 2 in 1 Female Thread	500-900	(melel)	(DGI)	100	500
320-5	Sprinkler NIKKO 2 in 1 + Valve PVC 1/2"				50	250
320-6	Sprinkler NIKKO 2 in 1 + Valve PVC 3/4"		4-6	1-3 Bars	50	250
320-7	Sprinkler NIKKO 2 in 1 + Valve PE 16-20 mm.	Depends on	Meters		50	250
320-8	Sprinkler NIKKO 2 in 1 + Valve PE 25 mm.	the Pressure			50	250
320-11	Sprinkler NIKKO 2 in 1 + Spike 1/2"x5/8"x3/4"				1	120
324-1	Sprinkler NIKKO 4 in 1 Female Thread				100	500

Sprinkler NIKKO







320-V1

320-V2



320-V3 320-V4

Code Number	Description	Flow Rate	Radius	Pressure	Pack	Size	
	Description	(liter : hour)	(meter)	(bar)	(bag)	(box)	
320-3	Sprinkler NIKKO Spin Female Thread	500-900			100	250	
320-C1	Sprinkler NIKKO Spin + Socket 1/2"				100	500	
320-C2	Sprinkler NIKKO Spin + Socket 3/4"				100	500	
320-V1	Sprinkler NIKKO Spin + Valve PVC 1/2"	Depends on	4-6	1-3 Bars	50	250	
320-V2	Sprinkler NIKKO Spin + Valve PVC 3/4"	the Pressure	•	Meters		50	250
320-V3	Sprinkler NIKKO Spin + Valve PE 16-20 mm.				50	250	
320-V4	Sprinkler NIKKO Spin + Valve PE 25 mm.				50	250	

Sprinkler NIKKO







317-NPVC1 317-NPVC2



317-NPE20 317-NPE25

Code Number	Description	Flow Rate (liter : hour)	Radius (meter)	Pressure (bar)	Pack (bag)	Size (box)
317-N	Sprinkler NIKKO Female Thread	500-900 Depends on the Pressure			100	500
317-NPVC1	Sprinkler NIKKO + Valve PVC 1/2"		4-6		50	250
317-NPVC2	Sprinkler NIKKO + Valve PVC 3/4"		Meters	1-3 Bars	50	250
317-NPE20	Sprinkler NIKKO + Valve PE 16-20 mm.				50	250
317-NPE25	Sprinkler NIKKO + Valve PE 25 mm.				50	250

Sprinkler NIKKO CHAIYO





Code Number	Description	Flow Rate (liter : hour)	Radius (meter)	Pressure (bar)	Pack (bag)	Size (box)
320-A	Sprinkler CHAIYO Female Thread	500-900	4-6	1-3 Bars	100	500
320-AB	Sprinkler CHAIYO Female Thread	Depends on the Pressure	Meters	1-5 bars	100	500

Sprinkler Anti-Insect



Suitable for watering plants that need to control the amount of water in kind of horticultures, vegetables and seedlings.

- Made from high quality of plastic.
- Various ranges of water spread rate to suit with each kind of plants.
- The water that affects the leaves, will make water spread out around the direction.
- Protect the insects get into the hole and will close in automatically while stopped.

21		
J I	0-7	

318-B

Code Numb	er Description	Flow Rate	Radius	Pressure	Pack	al s
	·	(liters : hour)	(meter)	(bar)	(bag)	(box)
318-A	Sprinkler Insects Protection Male Thread	100-250 Depends on	3-6	1-3 Bars	100	1500
318-B	Sprinkler Insects Protection Connect Micro Tube	the Pressure	Meters	1-5 buis	100	1500







	Sprinkler	CHAMP			
Code Number	Description	Flow Rate (liter : hour)	Radius (meter)	Pack (bag)	Size (box)
301-CP	Sprinkler CHAMP Female Thread	500-900	4-6	100	500
301-CP1	Sprinkler CHAMP Stainless Bush Female Thread	500-900	4-6	100	500
302-CP ■第1回 数分元章	Sprinkler CHAMP Two-way Female Thread	500-900	4-5	100	500
302-CP1	Sprinkler CHAMP Two-way Stainless Bush Female Thread	500-900	4-5	100	500





Stainless Sprinkler

The blade of Stainless Sprinkler is made of stainless steel. Can use pliers to curvebend to adjust the water direction as needed. Water volume of 500-900 liters per hour by radius 3-5 meters coverage.

Stainless Sprinkler



Suitable for watering plants that need to control the amount of water in kind of horticultures, vegetables and seedlings.



Made from high quality of plastic.

303-C1

303-C2

- Various ranges of water spread rate to suit with each kind of plants.
- The water that affects the leaves, will make water spread out around the direction.

Can use pliers to curve-bend to adjust the water direction as needed.















Pack Size Flow Rate Radius Pressure Code Number Description (liter: hour) (meter) (bag) (box) 303 Sprinkler Stainless Female Thread 100 500 303-R Sprinkler Stainless Spin Female Thread 100 500 303-C1 Sprinkler Stainless Spin + Socket PVC 1/2" 100 500 303-C2 Sprinkler Stainless Spin + Socket PVC 3/4" 500-900 100 500 4-6 303-V1 Sprinkler Stainless Spin + Valve PVC 1/2" Depends on 1-3 Bars 50 250 Meters Sprinkler Stainless Spin + ValvePVC 3/4" the Pressure 303-V2 50 250 303-V3 Sprinkler Stainless Spin + Valve PE 16-20 mm. 50 250 303-V4 Sprinkler Stainless Spin + Valve PE 25 mm. 50 250 303-1 Sprinkler Stainless Spin + Socket 1/2"x5/8"x3/4" 1 120

Sprinkler Stainless (NUNI)





303-RL

Kanok Product Channel



303-RLC

Code Number	Description	Flow Rate Ro	Radius	Pressure	Pack	Size
Code i tomber	Description	(liter : hour)	er : hour) (meter) (bar) (bag			
303-L	Sprinkler Stainless NUNI Female Thread	500-900	3-5	1-3 Bars	100	500
303-RL	Sprinkler Stainless NUNI Spin Female Thread	Depends on	Meters		100	500
303-RLC	Sprinkler Stainless NUNI Spin + Socket PVC 1/2"	the Pressure	//(6:6:3		100	500









Impact Sprinkler

Impact Sprinkler can shoot water near - far with adjustable the distance and strength of water.

Sprinkler can bounce and rotate around to get water in the area throughtly. Suitable for lawns.

Impact Sprinkler NAN (Water Hole 3 mm.)



Suitable for watering plants that need to control the amount of water in kind of horticultures, vegetables and seedlings.



- Made from high quality of plastic.
- Can shoot of water in 2 ways.
- Adjust the water force as strength light or near far.
- Sleeve of Sprinkler will hit the water spread.



Code Numbe	r Description	Flow Rate	Radius (meter)	Pressure (bar)	Pack	Size (box)
313	Impact Sprinkler Male Thread 1/2"	(mer : minote)	(1110101)	(1001)	1	400
313-B	Impact Sprinkler Male Thread 3/4"			2-4	1	400
314	Impact Sprinkler Female Thread 3/4"	11-17	Covers		1	300
313-C	Impact Sprinkler Spin Socket PVC 1/2"	Depends on the Pressure	9-12	Bars	1	300
313-11	Impact Sprinkler + Spike1/2"x5/8"x3/4"	me rressure	Meters		1	150
330	Impact Sprinkler Male Thread 1/2"				1	400

Impact Sprinkler CHAIYO NAN Adjustable



Suitable for watering plants that need to control the amount of water in kind of horticultures, vegetables and seedlings.



- Made from high quality of plastic.
- Can shoot of water in 2 ways.
- Adjust the water force as strength light or near far.
- Can be shoot 360 degrees (angle lock)
- Sleeve of Sprinkler will hit the water spread.





Code Number	Description	Flow Rate (liter : minute)	Radius (meter)	Pressure (bar)	Pack (bag)	Size (box)
313-R	Impact Sprinkler Adjustable Male Thread	8-12	Covers 10-13	2-4	1	300
313R-11	Impact Sprinkler Adjustable + Spike	0-12	Meters	Bars	1	100

Impact Sprinkler CHAIYO NAN (Water Hole 4 mm.)



Suitable for watering plants that need to control the amount of water in kind of horticultures, vegetables and seedlings.



- Made from high quality of plastic.
- Can shoot of water in 2 ways.
- Adjust the water force as strength light or near far.
- Can be shoot 360 degrees.
- Sleeve of Sprinkler will hit the water spread.





314M-11

Code Number	Description	Flow Rate	Radius	Pressure	Pack	
	I	(liter : minute)	(meter)	(bar)	(bag)	(box)
314M	Impact Sprinkler Male Thread	20-35	Covers 10-1 <i>4</i>	2-5	1	300
314M-11	Impact Sprinkler Male Thread with Spike	20-33	Meters	Bars	1	100

Kanok Product Channel









Impact Sprinkler CHAIYO NAN (Water Hole 5 mm.)



Suitable for watering plants that need to control the amount of water in kind of horticultures, vegetables and seedlings.



- Made from high quality of plastic.
- Can shoot of water in 2 ways.
- Adjust the water force as strength light or near far.
- Can be shoot 360 degrees.
- Sleeve of Sprinkler will hit the water spread.







Code Numb	er Description	Flow Rate (liter : minute)	Radius (meter)	Pressure (bar)	Pack (bag)	Size (box)
315	Impact Sprinkler Male Thread		Covers	0.5	1	100
316	Impact Sprinkler Female Thread	25-60	5-20	2-5 Bars	1	100
315-1	Impact Sprinkler Male Thread with Spike		Meters	20.10	1	50

Sprinkler Two - Way Long Range



Suitable for watering plants that need to control the amount of water in kind of horticultures, vegetables and seedlings.



- Made from high quality of plastic.
- Can shoot of water in 2 ways.
- Adjust the water force as strength light or near far.
- Can be shoot 360 degrees.



313-2W

Code Number	Description	Flow Rate	Radius	Pressure	essure Pack Size	
	Description	(liter : minute)	(meter)	(bar)	(bag)	(box)
313-2W	Sprinkler Two way Long Range	4-10	5-7Neters	1-3	1	5



Impact Sprinkler

		Impact Spr	inkler				
	Code Number	Description	Flow Rate (liter : minute)	Diameter (meter)	Pack (bag)	Pack Size (bag) (box)	
7	314-R	Impact Sprinkler Adjustable Female Thread 3/4"	18-61	12-18	1	1	
7	314-T	Impact Sprinkler Female Thread 3/4"	7-19	7-10	1	1	
To en	315-OR	Impact Sprinkler Male Thread Orange 3/4"	15-32	12-19	1	1	
1	315-RP	Impact Sprinkler Adjustable Male Thread 3/4"	11-41 13-15		1	1	
1	316-2	Impact Sprinkler Adjustable Female Thread 1"	40-115	20-25	1	1	
	316-3 回於回 回於理	Impact Sprinkler 3 Nozzles Female Thread 1"	50-86	14-18	1	1	
	316-4	Impact Sprinkler 4 Nozzles Female Thread 1"	53-100	14-18	1	1	
	316-5	Impact Sprinkler 5 Nozzles Female Thread 1"	55-108	14-18	1	1	
*	316-R	Impact Sprinkler Female Thread 1"	25-38	12-18	1	1	
C.	316-OR	Impact Sprinkler Male Thread Orange 1"	15-32	12-19	1	1	







			Sprinkler Sp	oin						
	Code Number	Descr	iption		Rate minute)	Rac (me		Pack Size (bag) (box)		
	313-J1	Sprinkler Spin Male Thread 1/2"		0.3	0.35-0.6 5.8		-10	1	300	
•	313-J2	Sprinkler Male Thre	•	0.38	3-0. <i>7</i>	6.3-11.6		1	300	
		Impact	Sprinkler Alum	ninium	n/brass					
	Code Number	Desc	ription		Rate minute)	Radius (meter)		Pack (bag)	Pack Size) (box)	
The same	315-RB	Impact Sprink Male Thread		38.3-46.6		13-	-15	1	1	
	316-AL	Impact Sprink Aluminium Fe	der emale Thread 1"	57.1-124		15	-20	1	1	
	316-ALB	Impact Sprink	der Aluminium Thread 1"	16.6-61.6		12	-17	1	1	
1	316-ALR		der Aluminium Thread 1 1/2"	50-3	341.6 15-30		-30	1	1	
	323-ALB		eler Adjustable Emale Thread 1 1/2	" 50-3	0-341.6 15-30		-30	1	1	
		Impact Sp	orinkler Adjusta	ble A	luminium					
	(Code Number	Description		Flow R		Radius (meter)	Pack (bag)	Size (box)	
F		323-AL	Female Thread 1	1/2"	116-1	50	20-25	1	2	
		333-AL	Female Thread 2"		233-2	83	25-30	1	2	
CINE V		334-AL	Female Thread 2	1/2"	400-4	66	30-35	1	2	

